BEACON PRIMARY ACADEMY

Allergy Safety Policy

September 2026

In line with Benedict's Law (England)

Review Cycle: Annual

Person responsible for this policy & it's implementation	Miss Amy Short
Review Frequency	Annually or when an incident is experienced
Date approved	1st September 2026
Date of next review	1st September 2027
Purpose	To minimise the risk of any individual suffering an allergic reaction whilst at school or attending any school-related activity. To ensure staff are properly prepared to recognise and manage allergic reactions should they arise.
Links with other policies	Safeguarding Policy Behaviour Policy Anti-bullying Policy Health and Safety Policy

Introduction and Core Principles

In line with Benedict's Law, we are committed to providing a safe, inclusive, and welcoming environment for all children, young people, staff, and visitors with allergies. Recognising the serious and potentially life-threatening risk posed by anaphylaxis, this dedicated policy establishes robust risk-mitigation measures and emergency response protocols.

Allergy is a spectrum of different allergic diseases. Reactions occur when a susceptible person is exposed to something (an "allergen") they are allergic to. Asthma, food allergy, eczema and seasonal rhinitis (hay fever) are all forms of allergy.

Anaphylactic reactions usually begin within minutes of being in contact with the allergen, i.e. eating trigger food, though can occur several hours later (i.e. allergy to Mammalian meat). Anaphylaxis involves difficulty in breathing and affects the heart rhythm. In extreme cases there could be a dramatic fall in blood pressure leading to collapse.

Once started, anaphylaxis reactions progress quickly. Investigations into fatal anaphylaxis show that there is only a 20–30 minute window of opportunity during which steps can be taken to prevent death – therefore giving emergency adrenaline immediately and calling Emergency Services (999) is crucial. Anaphylaxis always requires an emergency response.

Anaphylaxis can occur without any other signs (such as a skin rash) being present. Always consider anaphylaxis in someone with a known food allergy who has sudden difficulty in breathing. Giving adrenaline in this context is very safe and may be lifesaving.

The most common causes of "whole body" allergic reactions – including anaphylaxis – are:

- foods (e.g. peanuts, tree nuts, cow's milk/dairy foods, egg, wheat, fish/shellfish and sesame);
- insect stings (e.g. bee, wasp);
- medication (e.g. antibiotics, pain medicines such as ibuprofen);
- latex (e.g. rubber gloves, balloons, swimming caps).

Even for food allergy, the vast majority of anaphylaxis reactions require the person to have eaten the food, although less serious allergic reactions can happen through skin or other contact. Anaphylaxis reactions due to skin contact are very rare. Pupils who have a skin reaction need monitoring for at least an hour.

Beacon Primary Academy has
a whole school awareness approach, because it ensures all staff and pupils are aware of what allergies are, the importance of avoiding
individuals' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure procedures are in place to minimise risk of exposure.

Coeliac disease and food intolerance can present symptoms which are similar to those of food allergy; it is important that Coeliac disease and food intolerance is be managed through dietary avoidance, but these conditions do not pose a risk of anaphylaxis and so they are not within this allergy safety policy.

Eczema, asthma and allergies sometimes occur together – known as the atopic triad. It is important that these are managed well in order to keep the individual healthy. Asthma training is needed by all staff and an individual's asthma care plan needs to be included with their individual healthcare plan. These conditions are not included in this allergy safety policy.

Beacon Primary Academy understands that severe allergies are included in the Equality Act, 2010. The act considers a person disabled if they have a physical or mental impairment that has a substantial and long-term negative effect on their ability to carry out normal daily activities. Seasonal rhinitis (such as hay fever) is explicitly excluded from the definition of disability, unless it aggravates the effect of another health condition.

Emergency Treatment and Management of Anaphylaxis

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes
- stomach pain or vomiting
- mild throat tightness

- sudden change in behaviour

These symptoms are treated with antihistamines.

More serious symptoms are often referred to as the ABC symptoms and can include:

- **AIRWAY –** swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).
- **BREATHING –** sudden onset wheezing, breathing difficultly, noisy breathing, persistent cough.
- **CIRCULATION –** dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale, clammy skin, loss of consciousness.

The term for this more serious reaction is anaphylaxis. In extreme cases there could be a dramatic fall in bloody pressure. The person may become weak and floppy and may have a sense of something terrible happening. They maty lead to collapse and unconsciousness and, on rare occasions, can be fatal.

As soon as anaphylaxis is suspected, adrenaline must be administered without delay.

Action:

- Keep the individual where they are, call for help and do not leave them unattended.
- **Lie the individual flat with legs raised** – they call be propped up if struggling to breathe but this should be for as short a time as possible.
- **Use Adrenaline Device without delay and note the time given**. AAIs should be given into the muscle in the outer thigh or nasal into the nostril. Specific instructions vary by brand – always follow the instruction on the device.
- **Call 999 and state Anaphylaxis (ana-fil-axis).**
- If there is no improvement after 5 minutes, administer second adrenaline device.
- If no signs of life commence CPR.
- Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the individual where they ar. Do not stand them up to sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All individuals must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can recur after treatment.

Minimising Risk and Exposure to Allergens

Minimising risk and exposure to allergens is central to ensuring that individuals with allergies are safe from harm. Even a small amount of allergens can cause a reaction. Any food can cause a reaction with serious consequences for the individual and Beacon Primary

Academy will only eliminate a food following a risk assessment supported by medical advice when necessary. Where a food is restricted, this will be to the smallest area for the time necessary; for example, the cooking room for the duration of the lesson when the pupil with allergy is cooking. Blanket bans, especially to nuts, create a false sense of security. Whilst there are 14 key food allergens that cause over 90% reactions, any food can cause a reaction.

Beacon Primary Academy is allergy aware, ensuring that the staff and pupils are actively aware of the risk posed by allergens, take steps to minimise the risk of exposure and have robust emergency response plans in place.

Beacon Primary Academy completes a school wide allergy risk assessment that seeks to minimise the risks of exposure to known allergens. The risk assessment will include:

- Identifying the food used within the curriculum and making adaptions to remove allergens that pose a risk for the whole group not just the student who has the allergy.
- Conducting specific risk assessments to manage the risks of exposure to allergens in individuals when planning external visits or trips.
- Identify measures to manage risks of exposure to a food allergen through food brought in by others (for example, parents, students, staff).
- Identify measures to manage the risks of exposure to a food allergen through food provided by the school, college or setting.
- Putting in reasonable measures to manage the risk of individuals being exposed to allergens where they have a known allergy to airborne or contact allergens.
- Identifying non-food allergens within the environment and making adaptions to remove/reduce allergens that pose a risk; for example, therapy or school dogs would require enhanced cleaning and limiting to specific areas, hygiene measures after students have worked with the therapy dog.

Beacon Primary Academy will ensure that allergy is included in all school risk assessments to identify risks and plan control measures to minimise the risk of exposure.

Beacon Primary Academy will ensure that the risk of exposure is minimised by:

- All school staff allergy training every year.
- Educating pupils through awareness assemblies and within PSHE lessons.
- Educating PTAs (Parent Teacher Associations) about school expectations for allergy management.
- Communicating with all visitors, temporary staff and cover staff will be teaching a pupil with an allergy.
- Working closely with parents/carers and health professionals to understand the pupil's allergy.
- Monitoring this policy to ensure that the agreed practices are implemented.
- Establishing and maintaining high hygiene standards amongst staff, pupils and visitors.

Food Provision and Catering:

Beacon Primary Academy will manage the risk of food allergies and provide clear information on allergens in food provided by:

- Ensure the contract with the school catering company is compliant with the Food Standards Authority allergen management regulations.
- Ensuring school caterers provide information on food allergens to parents/carers and have this available for the pupils to check independently
- Provide pupil's allergen information to the caterers in a timely manner to ensure that students can eat safely.
- Identify pupils with allergies at point of service by photos in the kitchen area. The chosen method should not be reliant on one person with two people checking that the correct meal is going to the correct child.
- Ensure that food is always labelled as unlabeled food poses a potentially greater risk of allergen exposure than packaged food with precautionary ("may contain") labelling suggesting a risk of contamination with allergen. This applies to foods used within the classroom curriculum (e.g. cooking) as well that from the school kitchen.
- Teach pupils not to share food, trade food or share utensils or food containers with the reasons why.

When staff provide food for pupils, they receive additional training to ensure they understand how to read labels for food allergens and how to prevent cross-contamination during the handling, preparation and serving of food.

Where food is not directly provided by the school (for example celebrating birthdays) parent/carer permission will be sought in advance to ensure inclusion and safety of pupils with allergies.

These procedures apply to school led breakfast and after school provision, where this is provided by a third party, Beacon Primary Academy, ensures that the policy is shared and the third-party provider meets the same procedures.

Beacon Primary Academy also ensures that PTFA events, as best practice, follow Food Standards Agency legislation for food labelling, creating allergen matrices as necessary for any event being hosted. The PTFA members who serve food will have Food Standards Agency training as well as awareness of allergen management.

Pupils eligible for benefits based Free School Meals are entitled to their free school meal entitlement. School will work with parents/carers to determine the best way of ensuring that students receive their meal.

Medication and Adrenaline Devices (ADs)

People at risk of anaphylaxis are prescribed two adrenaline devices which they should carry with them at all times. This includes the journey to and from;

- school,
- the classroom
- lunch area
- playground
- sports field
- when on visits or trips

Serious anaphylaxis is a time critical situation; delays in administering adrenaline have been associated with fatal reactions. An adrenaline device needs to be administered within 5 minutes so if the adrenaline device cannot be with them in the classroom, the adrenaline device should be stored in an appropriate central location that is unlocked and accessible at all times (including during wrap around care).

Adrenaline devices must be stored at room temperature (in line with manufacturer's guidelines) and not be exposed to extremes of heat. They should not be refrigerated or left in direct sunlight.

Spare Adrenaline Devices

The Human Medicines (Amendment) Regulations 2017 permit "spare" adrenaline devices to be used for the purpose of saving a life. This might be, for example, a child presenting for the first time with anaphylaxis due to an undiagnosed allergy.

Beacon Primary Academy holds spare adrenaline devices for use in emergency situations. These are not a replacement for a pupil's own adrenaline device. Pupils prescribed adrenaline are expected to have their own adrenaline devices with them at school for use in an emergency.

Beacon Primary Academy holds:

X 2 EpiPen 0.3mg (Adult/Regular)

X 2 EpiPen 0.15 mg (Junior)

These are located in:

Main Office – top of school

Practical Room – bottom of school.

They are stored in clear containers and labelled 'Emergency Anaphylaxis Kit'.

The school's first aid lead, Miss D Heard, is responsible for checking that adrenaline devices are in date and remain clear (not cloudy) on a monthly basis. They will secure replacements one month before the current adrenaline device expires.

Adrenaline devices that are used will be disposed of in a sharps box which is located in the medical room or given to the paramedic. Adrenaline devices that are out of date or where the adrenaline has degraded will be taken to a pharmacy to be disposed of by the parent/carer.

In the event of anaphylactic reaction:

- Adrenaline should be administered as soon as possible, within five minutes. **Do not wait** to contact the emergency services before administering adrenaline.
- The child, young person or individual should not be moved. Adrenaline devices should be brought to them (whether their own prescribed ADs or "spare" ADs).
- If the child, young person or individual **has their own prescribed adrenaline devices**, these should be used in the first instance.
- If the child, young person or individual **does not have prescribed adrenaline devices**, "spare" adrenaline devices can be used.
- If the child, young person or individual's **prescribed adrenaline devices are not available or misfire**, "spare" adrenaline devices can be used.
- If the individual has serious allergy and asthma and there is any doubt if they are presenting with anaphylaxis or having an asthma attack always administer the adrenaline first.

The Human Medicines (Amendment) Regulations 2017 do not require consent to have been obtained for "spare" adrenaline devices to be used. It can be good practice for the school, college or setting to obtain advance consent from parents or the young person for "spare" adrenaline devices to be used, so that in an emergency, consent can be assumed to be in place. However, in an emergency situation anyone may take reasonable action to save a life without checking whether prior consent has been given.

Pupil self-management:

Depending on their level of understanding and competence, pupils will be encouraged to take responsibility for and to always carry their own two adrenaline devices on them in a suitable bag/container (red drawstring bag, consistency is urged across the school for ease of identification).

Staff Training and Emergency Response

All staff employed by Beacon Primary Academy will be trained in allergy awareness and emergency response. The school is responsible for ensuring that supply, cover, coaching, and peripatetic staff have received allergy awareness training.

Training can be online or face to face. The content needs to include:

- Allergy awareness, the risks it poses, how allergic reactions occur and how to manage them.
- Allergy includes multiple co-existing conditions: asthma, eczema, hay-fever.
- Understand the difference between food allergy, intolerance and coeliac disease.
- That a pupil can be allergic to any food, not just the top 14 allergens.
- Know the symptoms of allergic reactions and how to treat.

- Know the symptoms of anaphylaxis and how to treat.
- How to locate and administer adrenaline or an asthma inhaler.
- All adrenaline devices should be used to train with as the pupil may have different ones to the spare adrenaline.

- **How to report an allergic reaction including:**
- Mild to moderate
- Anaphylaxis
- Near miss/incident

- Understand their responsibilities in risk reduction to ensure that pupils are prevented from coming into contact with their allergens
- Understand the impact that allergy can have on a pupil's wellbeing

- **Understand the school's allergy safety policy and:**
- How to check if a student is on the record of those with a known allergy
- How to use an allergy or asthma action plan

Emergency preparedness

Beacon Primary Academy will annually hold a practice response to anaphylaxis, review how the practice went and update policy and procedures.

Throughout the year staff will be reminded of key aspects of the policy such as:

- How to find out who has an allergy
- The Storage of Spare Adrenaline
- Practice with adrenaline trainer devices

Beacon Primary Academy will communicate key messages regarding risk reduction leading up to festivals, trips and end of term celebrations.

During fire drills and lockdown practices, Beacon Primary Academy will ensure that a pupil's adrenaline device is with them. Should a real evacuation happen, the pupil may have to go home without adrenaline if this has not been taken out during a fire evacuation.

Roles and responsibilities

Allergy Lead and Board of Trustees:
The Academy Trust and the school are responsibility for ensuring that the school's policy sets out the arrangements to reduce the risk of individuals coming into contact with their known allergens and sets out the emergency response plan for cases of anaphylaxis. The Academy Trust will monitor this policy with it being a standing agenda item at meetings.

The Allergy Lead at Beacon Primary Academy works closely with the Academy Trust contact and will provide reports when required for meetings.

Beacon Primary Academy includes the risks pertaining to students and staff with allergy on the school's risk register.

Beacon Primary Academy has a named member of the senior leadership team who is responsible for allergy safety which includes driving the implementation of the allergy safety policy and contributing to the review of the policy.

The allergy lead (with the support from the first aid lead) is responsible for:

- systems to collect allergy information during the enrolment process, ensuring that this information is shared with catering. Outside of the normal admission point, ensures that information is shared staff and catering teams as soon as possible but within two weeks of the student starting
- holding a register of students and staff with allergies including whether they hold adrenaline and whether they have an allergy action plan
- ensures that systems are robust for the identification of students at mealtimes
- Communication about:
  - the policy
  - the students who are on the register of those with allergies
  - the importance of recording and reporting near misses and incidents
- communication with:
  - governors to provide updates about the policy implementation
  - Health and Safety and Designated Safeguarding Leads to keep allergy safety as part of their roles
  - Outside agencies such as Health and Safety Executive (HSE) if a report under RIDDOR is needed
  - Caterer; the procedures in the kitchen and the procedures for ensuring that the students with allergies are provided with a safe meal
  - Parents/carers to enable them to input into IHPs (Individual Healthcare Plans) and to request allergy action plans when appropriate
  - Students to develop an understanding of allergy through information assemblies and workshops, participating in awareness days and weeks
- spare adrenaline devices and making sure these are checked and in date, with replacements being secured before the current ones expire
- that IHPs are created and communicated
- Training
  - ensuring that all staff annual training and that allergy is included in induction even for short term members of staff.
  - ensures that all staff have the opportunity to practice with trainer adrenaline devices at least annually but ideally a few times a year.

All Staff:

Responsible for:

- understanding their role in implementing this policy, recognising signs of allergic reactions, and acting swiftly in an emergency
- supporting the creation of the students IHP
- implementing the students IHP
- Creating an inclusive curriculum
- Curriculum adaptation to minimise risks

- Completing risk assessments for curriculum activities involving food, trips and visits including sporting events
- Building proactive relationships with parents/carers
- Reporting near misses and incidents

Parents:

Responsible for:

- Adhering to this policy
- Providing school with the information they need to create individual health care plans
- Updating school when reactions happen outside of school or any changes to the student's allergy and its management.
- Ensuring that the student always has in date medication with them at school

Identification of Individuals with Allergies

Admissions Data Collection: Beacon Primary Academy collects detailed medical information from parents/carers regarding known allergies, dietary restrictions, and treatment histories prior to admission. This is collected through the school's admission processes prior to the pupil starting at the school.

Information Sharing: UK GDPR does not prevent the sharing of a pupil's health information (special category data). Relevant information is securely compiled and shared as necessary in a controlled way with teaching staff, support staff, supply cover, and catering teams while maintaining appropriate data privacy. This is done through Microsoft Teams, Arbor and Cypad.

Transition: Allergy information and existing care plans are shared as part of a pupil's transition. Beacon Primary Academy will request allergy information from the previous school or setting and will consider whether any of the arrangements are suitable to implement. Beacon Primary Academy will work with parents/carers and the pupil if appropriate to write a new IHP. Staff will provide information about pupils for transition visits ahead of a formal move.

Staff: pre-employment questionnaires will ask whether they have any allergies. If an allergy is declared, there will be a discussion and action plan created to ensure that the members of staff have a safe working environment. This will include ensuring that staff members have a written risk assessment in place which includes an action response plan if medical assistance is required. Within this risk assessment it will also state where any devices are stored/located whilst the staff member is at work to ensure ease of access to devices if needed.

Visitors and regular volunteers: will be asked about allergies ahead of their visit. If an allergy is declared, the allergy lead will be notified, and this information will be communicated as necessary to ensure that the visitor or regular volunteer has a safe

working environment. This will be communicated with all staff in school via the use of Microsoft TEAMs.

Student Individual Healthcare Plans (IHPs) and Allergy Action Plans

Allergy action plans

- These are clinical documents that are created by a GP / allergy nurse or allergy clinic. They detail the student's allergy and medication.
- These contain parent/carer contact details and must be signed by the parent/carer as this is the parental authority to administer mediation including the administration of spare adrenaline devices.
- These will only be updated by the medical professional following a review of the pupil's allergy management, this could be annually or 5 yearly. Parents/carers or school need to update the photo of the student annually so that the student is recognisable.

Allergy action plans are issued for pupils who have an IgE food allergy and often a venom allergy that could lead to anaphylaxis. They are not issued for all allergies. Pupils with non-IgE allergies don't experience anaphylaxis and so an allergy action plan is not issued.

Individual Healthcare Plans (IHPs)

Individual healthcare plans are an essential communication tool that provide clarity about the arrangements which need to be in place to ensure that a pupil is fully included in the life of the school. It will identify exact risk-mitigation measures that need to be followed.

Individual Healthcare Plans are school owned documents that are co-created by school, parents/carers and pupils.

They should include any advice received from health professionals. If there is no advice from health professionals, information and support can be requested.

Where a child has an allergy action plan and or an asthma plan, this must be included with the IHP.

It is good practice to review IHPs annually or when staff change, however they must be reviewed if an incident or near miss occurs. They need to be brought to the attention of supply or cover staff and be passed on during transition to a new school.

Beacon Primary Academy will ensure that:

- Pupils with an allergy action plan and/or an asthma plan have an individual healthcare plan.
- Pupils without an allergy action plan or asthma plan but have an allergy that needs active management over and above what other pupils need will have an individual healthcare plan.
- individual healthcare plans are created whilst pupils are waiting for a diagnosis.

School Trips and External Visits

Beacon Primary Academy ensures that students with allergies are fully included in every trip, sporting event, or extracurricular activities. A risk assessment addressing allergen exposure in each activity, emergency medication, transport, and proximity to local emergency care will be undertaken with control measures identified. In order to ensure that the pupil is safe and included, alternative activities will be planned. This will include the safe storage adrenaline for the duration of the school trip.

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all students have their medication including adrenaline devices with them before departure. Pupils unable to produce their required medication will not be able to attend the excursion.

In conjunction with the allergy lead, the trip leader will review the risk assessment to determine whether the school's spare adrenaline devices should be taken on the trip. Beacon Primary Academy will provide additional spare adrenaline devices should the risk assessment for the trip deem necessary to take them ensuring that pupils remaining in school still have access to spare adrenaline devices should the need arise.

Beacon Primary Academy will notify the host school, when arranging a sporting fixture, that a member of the team has an allergy. When a sports tea is provided, the pupils' school will ensure the students' allergies are communicated and appropriate food is provided.

Serious Incidents and "Near Misses":

Beacon Primary Academy approaches serious incidents and "near misses" in a "no blame" spirit, seeking to learn lessons and address any issues which the incident identified, so that students are better protected in the future.

Beacon Primary Academy is aware, when an incident occurs that materials such as residues of food consumed or handled or samples of fluids may constitute evidence, which may need to be seized and retained.

Beacon Primary Academy **uses CPOMs** to record allergic reactions (incidents) and near misses (e.g., accidental exposure without reaction, or labelling errors) immediately. The incident or near miss will be reviewed and a report written.

Beacon Primary Academy will share the report with the pupil's parents/carers, the pupil and the individual involved. They should be given the opportunity to discuss what happened and to contribute their views to the consequent lessons learned review.

Beacon Primary Academy will confirm what it has learned from the incident and outline any actions it is taking as a result. The pupil's IHP will be updated if necessary.

If unsafe food was supplied by the school operating as a food business, the incident must be reported to the local authority environmental health team.

Wellbeing and Support

At Beacon Primary Academy allergy safety is a priority and actions to ensure that pupils are included and safe are embedded into the school's culture. Pupils with allergy become anxious as a result of the risk of exposure to allergens and the potential for anaphylaxis, which may be compounded by living with difficult-to-control asthma or eczema.

Beacon Primary Academy will:

- regularly communicate to pupils, parents and staff about allergies, ensuring ongoing awareness and appreciation of the severity of the potential risks.
- include allergy and anaphylaxis lessons during assembly or in PSHE lessons.
- plans school celebrations, rewards, and communal events inclusively from the outset to eliminate social isolation.
- involve pupils and staff with allergies in developing and reviewing the policy and procedures for allergy management.
- understand that allergy bullying is extremely serious and actively monitors, prevents, and addresses any stigmatisation or bullying directed at individuals due to their allergies or dietary constraints.
- invite new joiners with allergies to have a tour of the kitchen and canteen so they can meet staff and get used to the mealtime environment which may help to reduce anxiety and enable staff to identify students with allergies in the dining hall.
- proactively engage with new joiners with known allergies, setting out the school policies and the support available.

Safeguarding

Beacon Primary Academy recognises that a safeguarding referral may be needed if an incident highlighted concern that the child or young person might be at an increased risk of being neglected, abused or exploited by persons inside or outside of their family unit because of their medical condition. This might occur where relevant information about a child or young person's medical condition is not provided to a school, college or setting, or where they are repeatedly sent without essential medication, thereby putting the individual at risk.

Unacceptable Practice

Beacon primary Academy staff are clear about what constitutes unacceptable practice and are committed to ensuring that only good practice occurs. Should unacceptable practice occur the school will follow its own procedures to identify and address this using staff conduct policies.

Examples of unacceptable practice include (but are not limited to):

- preventing children and young people from easily accessing and administering their medication in line with what is agreed in their Individual Healthcare Plan (for example prescribed adrenaline devices and asthma reliever inhalers) when and where necessary;
- assuming that every child with the same condition requires the same support;
- assuming that older children and young people do not require support related to their allergy, even if they are able to take increasing responsibility for its management;
- ignoring the views of the child or young person or their parents or carer;
- ignoring medical evidence or the opinion and advice of healthcare professionals;
- assuming that a child or young person does not have an allergy because they do not yet have a diagnosis, for example while medical investigation is under way;
- sending a child or young person who becomes unwell to a school office or medical room without suitable supervision. In the case of an emergency or suspected emergency (for example anaphylaxis) help should come to the child or young person;
- penalising children or young people for their attendance record if their absences are related to their medical condition, e.g. hospital appointments and health management. This includes excluding children and young people from rewards for 100% attendance where their non-attendance is the result of a medical condition. This should be reflected in attendance policies;
- requiring parents / carers (or otherwise making them feel obliged) to attend the school, college or setting to administer medication or provide medical support to their child; or
- preventing children and young people from participating or creating unnecessary barriers to them participating in any aspect of school, college or setting life, including external visits and trips, e.g. by requiring parents to accompany the child.

Policy Review and Publication

This policy is published openly on the school website and is reviewed at least annually, or more frequently in response to local incident trends or updated statutory guidelines.

Useful Links and further reading:

- Anaphylaxis UK - https://www.anaphylaxis.org.uk/

- Safer Schools Programme - https://www.anaphylaxis.org.uk/education/safer- schools-programme/

- AllergyWise for Schools online training - https://www.allergywise.org.uk/p/allergywise-for-schools1

- Allergy UK - https://www.allergyuk.org

- Whole school allergy and awareness management - https://www.allergyuk.org/schools/whole-school-allergy-awareness- andmanagement

- BSACI Allergy Action Plans - https://www.bsaci.org/professional-resources/resources/paediatric-allergy-action-plans/

- Spare Pens in Schools - http://www.sparepensinschools.uk

- Department for Education Supporting pupils at school with medical conditions - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_ data/file/803956/supporting-pupils-at-school-with-medical-conditions.pdf

- Department of Health Guidance on the use of adrenaline auto-injectors in schools - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_ data/file/645476/Adrenaline_auto_injectors_in_schools.pdf

- Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016) https://www.nice.org.uk/guidance/qs118

- Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020) https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834

Statutory Duties:

The duties under Section 34 of the Children's Wellbeing and Schools Act 2026 place a requirement on LA-maintained schools, Academies and PRUs to have allergy safety policies, publish them and keep them under review.

The duty of care under section 3 of the Children Act 1989 for any person with the care of a child to do all that is reasonable for the purposes of safeguarding or promoting the welfare of the child;

The duties to safeguard and promote the welfare of pupils and students under sections 20 and 175 of the Education Act 2002, the Education (Independent School Standards) Regulations 2014 (and associated statutory guidance Keeping Children Safe in Education) and the Non-Maintained Special Schools (England) Regulations 2015;

The duty of the employer under section 2 of the Health and Safety at Work etc Act 1974 to take reasonable steps to ensure that employees are not exposed to risks to their health and safety;

The duties under the Equality Act 2010 to provide equality of opportunity for all, including those who are disabled.

The Special Educational Needs and Disability (SEND) SEND code of practice: 0 to 25 years.

The Early Years Foundation Stage (EYFS) statutory framework.

Appendix 1 – Allergy Register

Name	Year/Class	Allergy	Medication	IHP (Y/N)	Spare Pen consent (Y/N)	Expiry date of AAI	Date information checked

Appendix 2 – Individual Healthcare plan (IHP) template

Child:	**Date of Birth:**
School:	**Key Worker:**
Medical Diagnosis or condition:	
G.P Details: Name: Address: Phone Number:	**Clinic/Hospital:** Name: Phone Number:
Date plan created:	**Review Date:**
Who is responsible for providing support in school:	
People involved in writing this plan:	
IHP shared with and when:	
Date IHP added to CPOMs and INSIGHTs:	

Signatures: Principal/Head of Academy:	Date:
I give permission for this IHP to be shared with anyone who needs this information to keep my child safe: Parents: Date: Pupil (if applicable): Date:	
I consent to Beacon Primary Academy using the school spare AAI for my child in an emergency: Signed: Date:	
Summary of child's needs with supporting medical evidence as part of the IHP (copies of medical evidence in document vault of CPOMs):	
What is considered an emergency situation? - *What are the symptoms, triggers and actions that need to be taken?* - *These actions will be taken in an emergency.*	**Triggers:**

	Symptoms: **Actions to be taken: *(check policy actions below with parent/carer)*.** Keep (NAME) where they are, call for help and do not leave them unattended. **LIE** (NAME) **FLAT WITH LEGS RAISED** – they can be propped up if struggling to breathe but this should be for as short a time as possible. **USE ADRENALINE AUTO-INJECTOR WITHOUT DELAY** and note the time given. AAIs should be given into the muscle in the outer thigh. Specific instructions vary by brand – always follow the instructions on the device. CALL **999** and state **ANAPHYLAXIS (ana-fil-axis).** If no improvement after 5 minutes, administer second AAI. If no signs of life commence CPR. Call parent/carer as soon as possible.
Is the child aware of their health worsening? Are they able to alert an adult?	

Training in place: All staff have received allergy awareness training, including recognising the signs and symptoms of anaphylaxis All staff are trained and confident in the administration of adrenaline auto-injectors (AAIs) All staff know the child's individual allergens, triggers, and emergency procedures and have access to this IHP. Training is reviewed and refreshed annually, with updates provided to supply staff and new staff throughout the academic year.

List of medication the child is taking with dosing instruction and where it is located.

Medicine	Dose	Frequency	Where Stored

How does the child's medical condition affect learning? - *Memory, processing speed, coordination etc.*	
Does the child require any further assessment of their learning?	
Are there any side effects of the medication?	

Is there any ongoing treatment that is not being administered in school? Does this impact on learning? - *Tiredness, enjoyment of hobbies/life if treatment is always at the weekend?*	
Are there any physical restrictions caused by the medical condition(s)? - *Is any extra care needed for physical activity? Does this include playtime/forest schools as well as PE lessons? Are there any other regular physical activities that happen at school?* - *Detail any actions needed before, during or after physical activity.*	
What planning and adaptions are needed for trips/activities away from the school including overnight residentials. - *Responsibility for and storage of medicines* - *What care is needed and at what point. Will there be suitable facilities?*	
Can or is the child's emotional health and well-being affected by their condition: - *The child is likely to have to have time off to attend medical appointments within the school day; these*	

should be authorised and adjustments made to any attendance award system to ensure the child is not penalised for their medical condition. - *What is the process for the child catching up on work missed through illness or appointment?* - *Is additional time needed during lessons/tests/exams? ·* - *Does the child need any assistance to move from location to location either physical or with their equipment?* - *Who has responsibility for equipment? Can a peer buddy help or does this need to be an adult? ·* - *Does the child require any emotional support? i.e. ELSA/Counselling*	
Are there any considerations needed at meal or snack times?	
Can the school environment affect the child's medical condition?	
Other information:	
Child's comments regarding the IHP:	